




Velvet Gradient mix



Velvet Deep green

Velvet Stensil ART



Lime based mineral plaster with matt velvet effect

VELVET is a special product for interiors, which allows you to create the natural velvet (corduroy) fabric surface with soft-touch effect. The material is based on slaked lime and natural marble powders, which determines the strength, vapor permeability and the high-end environmental friendliness of the coating.




Technicals details

| Temperature of application: | +5-+35°C | pH: | 12-14 |
|-----------------------------------|--------------|----------------|-----------|
| Relative humidity of application: | < 85 % | Weight solids: | 60% |
| Completely cured: | 20-25 days | Aspect: | matt deep |
| Drying time to cleaning: | 30 days | Pack Size: | 20-24 kg |
| Density: | 1,4-1,5 kg/l | Usage: | Interiors |

System

| | Ð | \diamond | 8 | (H ₂ O) | | | (Ľ) |
|---|------------------|------------|-----------------------|--------------------|----------------|------------------------------|---------|
| 1 | Primer Normal | 1 | 11t/10 m ² | 800% | х | Roller | 4-6 hr |
| 2 | Fondo a Calce | 1 | 11t/10 m ² | 20-25% | х | Roller | 6-8 hr |
| 3 | Velvet | 3 | 1kg/0,8-1 m² | | Color chart | latex sponge Inox trowell | 8-12 hr |



* Type of preparation surface - the same for painting. We recommend to use ORSO INFINITY plaster for finish preparation of walls. Recommended fixative is acrylic based - PRIMER NORMAL.

** To improve maximum adhesion of surface, it is recommended to use SPECIAL primer FONDO A CALCE.